

# Car Rack Product


2023



[www.want-it.cn](http://www.want-it.cn)



# Bike Carrier



**NEW**

## AD2120055WT Hitch Bike Carrier

- Material: Steel
- Load: Max 2 Bikes, 70KGS/154LBS
- Product Net Weight: 28KGS
- Max Tire Width: 12.1cm/4.7"





# Bike Carrier



## AD2120054WT Hitch Bike Carrier


- Material: Steel
- Load: Max 2 Bikes, 60KGS/132LBS
- Product Net Weight: 20KGS
- Max Tire Width: 12.19cm/4.8"

**NEW**



## AD2120055WT Hitch Bike Carrier

- Material: Steel
- Load: Max 4 Bikes, 60KGS/132LBS
- Product Net Weight: 20KGS
- Max Tire Width: 12.19cm/4.8"





## AD2120057WT Hitch Bike Carrier

- Material: Steel
- Load: Max 2 Bikes, 60KGS/132LBS
- Product Net Weight: 15.6KGS
- Max Tire Width: 29"

**NEW**



## AD2120058WT Hitch Bike Carrier

- Material: Steel
- Load: Max 2 Bikes, 30KGS/66LBS
- Product Net Weight: 10KGS
- Tire : Diameter 22"~29", Width 20mm~65mm



## AD2120059WT Hitch Bike Carrier

- Material: Steel
- Load: Max 3 Bikes, 45KGS/99LBS
- Product Net Weight: 12.8KGS
- Tire : Diameter 22"~29", Width 20mm~65mm



## AD2120060WT Hitch Bike Carrier

- Material: Steel
- Load: Max 4 Bikes, 60KGS/132LBS
- Product Net Weight: 16.5KGS
- Tire : Diameter 22"~29", Width 20mm~65mm





# Bike Carrier



1. fix on 2 inch hitch ball 50mm
2. quick and easy to fix and remove with a very compact and functional quick-release system or normal release
3. includes lock from carrier to tow ball
4. tilt easy by touch a simple foot pedal
5. lockable bike grab arms
6. scratch-resistant power coated
7. complete with homologated rear light bar and 7 or 13 pin plug
8. material: tube and base - steel, tire sliding tube - aluminum
9. Homologation: CE



## AD2120049WT-2 Tow ball carrier for 2 bikes

- Normal Release or Quick Handle Release
- Max 2 Bikes, 30 KGS
- Material: Steel and Aluminum
- CE Certificate

## AD2120049WT-3 Tow ball carrier for 3 bikes

- Normal Release or Quick Handle Release
- Max 3 Bikes, 45 KGS
- Material: Steel and Aluminum
- CE Certificate

## AD2120049WT-4 Tow ball carrier for 4 bikes

- Normal Release or Quick Handle Release
- Max 4 Bikes, 60 KGS
- Material: Steel and Aluminum
- CE Certificate



# Bike Carrier



**AD2120048WT-2 Tow Ball Bike Carrier for Max 2 Bike**



**AD2120048WT-3 Tow Ball Bike Carrier for Max 3 Bike**



**AD2120048WT-4 Tow Ball Bike Carrier for Max 4 Bike**



**AD2120050WT-2 Tow Ball Bike Carrier for Max 2 Bike**



**AD2120050WT-3 Tow Ball Bike Carrier for Max 3 Bike**



**AD2120050WT-4 Tow Ball Bike Carrier for Max 4 Bike**



**AD2120051WT-2 Tow Ball Bike Carrier for Max 2 Bike**



**AD2120051WT-3 Tow Ball Bike Carrier for Max 3 Bike**



**AD2120051WT-4 Tow Ball Bike Carrier for Max 4 Bike**





**AD2120030WT Steel Tow Ball  
Carrier for 2 Bikes**

- Fitting 2" Ball
- Equipped with Lock System



**AD2120031WT Steel Tow Ball  
Carrier for 3 Bikes**

- Fitting 2" Ball
- Equipped with Lock System



**AD2120032WT Steel Tow Ball  
Carrier for 4 Bikes**

- Fitting 2" Ball
- Equipped with Lock System



**AD2120035WT Steel Hitch  
Carrier for 2 Bikes**

- Fix on the 1-1/4 and 2 Inch Receiver
- Tilting Function
- Bike lock function



**AD2120036WT Steel Hitch  
Carrier for 3 Bikes**

- Fix on the 1-1/4 and 2 Inch Receiver
- Tilting Function
- Bike lock function



**AD2120037WT Steel Hitch  
Carrier for 4 Bikes**

- Fix on the 1-1/4 and 2 Inch Receiver
- Tilting Function
- Bike lock function



**AD2120033WT Steel Hitch  
Carrier for 2 Bikes**

- Fix on the 1-1/4 and 2 Inch Receiver
- Tilting Function
- Bike lock function



**AD2120034WT Steel Hitch  
Carrier for 3 Bikes**

- Fix on the 1-1/4 and 2 Inch Receiver
- Tilting Function
- Bike lock function



**AD2120019WT Steel Hitch  
Carrier for 4 Bikes**

- Fix on the 1-1/4 and 2 Inch Receiver
- Tilting Function
- Bike lock function



## AD2120047WT-2 Tow Ball Bike Carrier

- Max 2 Bikes, 30KGS
- Material: Steel
- Dimension: 92cm



## AD2120047WT-3 Tow Ball Bike Carrier

- Max 3 Bikes, 45KGS
- Material: Steel
- Dimension: 92cm



## AD2120047WT-4 Tow Ball Bike Carrier

- Max 4 Bikes, 60KGS
- Material: Steel
- Dimension: 92cm



## AD2120048WT-2 2" Receiver Hitch Bike Carrier

- Max 2 Bikes, 30KGS
- Material: Steel
- Dimension: 100cm



## AD2120048WT-3 2" Receiver Hitch Bike Carrier

- Max 3 Bikes, 45KGS
- Material: Steel
- Dimension: 100cm



## AD2120048WT-4 2" Receiver Hitch Bike Carrier

- Max 4 Bikes, 60KGS
- Material: Steel
- Dimension: 100cm





**AD2120049WT-2 2" Receiver  
Hitch Bike Carrier**

- Max 2 Bikes, 30KGS
- Material: Steel
- Dimension: 100cm

**AD2120049WT-3 2" Receiver  
Hitch Bike Carrier**

- Max 3 Bikes, 45KGS
- Material: Steel
- Dimension: 100cm

**AD2120049WT-4 2" Receiver  
Hitch Bike Carrier**

- Max 4 Bikes, 60KGS
- Material: Steel
- Dimension: 100cm



**AD2130704WT Steel Tow Ball  
Bike Carrier**

- Max 3 Bikes
- Fit for Tow Hitch Ball



**AD2130705WT Steel Tow Ball  
Bike Carrier**

- Max 2 Bikes
- Fit for Tow Hitch Ball



# E-Bike Carrier



## AD2120052WT E-Bike Carrier



## Specification

Material: Steel frame  
Fix 2 E bikes/2Fat bikes/2 normal bikes



	 MIN 225 mm MAX 250 mm	 MIN 20x60 mm MAX 55x80 mm
		
MIN 22" MAX 25"	MIN 20mm MAX 100mm	MAX 110mm



## AD2120053WT E-Bike Carrier



## AD2120062WT E-Bike Carrier







hot item

## AD2120050WT Hitch Bike Carrier

- Capacity: 3 Bikes, Max loading 45kg
- Fix on 2 inch receiver
- Folding carrier with quick release pin
- Heavy duty design
- Bike hook with EVA protection
- The hitch with thread hole to avoid swing



## AD2120051WT Hitch Bike Carrier

- Capacity: 3 Bikes, Max loading 45kg
- Fix on 2 inch receiver
- Folding carrier with quick release pin
- Heavy duty design
- Bike hook with EVA protection
- The hitch with thread hole to avoid swing

hot item



## AD2124807WT-2 Steel Bike Carrier

- For Max 2 Bikes
- Fit for 2" Receiver
- U Bolt Fixation Increase
- Tilting to open rear door
- Max loading 30 kgs

## AD2124807WT-3 Steel Bike Carrier

- For Max 3 Bikes
- Fit for 2" Receiver
- U Bolt Fixation Increase
- Tilting to open rear door
- Max loading 45 kgs





CE

## AD2120004WT Al Roof Carrier of Bike

- Length: 132cm
- Lock with 2 Keys
- Max Load 15 KGS



CE

## AD2120005WT Al Roof Carrier of Bike (Front Wheel Removable)

- Length: 120cm
- With Quick Release
- Max Load 15 KGS



CE

## AD2120006WT Al Roof Carrier of Bike

- Length: 132cm
- Lock with 2 Keys
- Max Load 15 KGS



CE

## AD2120007WT Al Roof Carrier of Bike

- Length: 120cm
- Lock with 2 Keys
- Max Load 15 KGS



## AD2120018WT Al Roof Carrier of Bike (with or w/o Front Wheel)

- Length: 120cm
- Lock with 2 Keys
- Max Load 15 KGS



CE

## AD2120028WT Al Roof Carrier of Bike

- Lock with 2 Keys
- Max Load 15 KGS
- T-bolt and U Screw Fixation



## AD2115701WT Roof Carrier of bike

- Lock to Roof Bar and Lock to Bike
- Material: Aluminum, Steel, Plastic
- Max Load: 15 KGS



## AD9021801WT Roof Carrier of bike

- Lock to Roof Bar and Lock to Bike
- Material: Aluminum, Steel, Plastic
- Fitting Bike from 24" to 29"



CE

## AD2120029WT Steel Roof Carrier of Bike

- U Bolt Fixation
- V Channel Wheel Holder Profile
- Suitable for Bike Frames from 22mm to 55mm





# Bike Carrier

AD2120006W



AD2120004WT



AD2120005W



AD2120028W



AD2120007W



AD2120029W



AD2115701WT



AD9021801WT





# Bike Carrier



## AD2134901WT Roof Bike Carrier

- Material: Aluminum Alloy, Steel
- QTY of Load Bike: 1 Bike, Max 15KGS
- Lock with 2 Keys
- Packaging: 1 PC/Inner Carton, 2 PCS/Outer Carton, GW/NW 14.8KGS/13KGS, Outer Carton Dimension: 117x33x34cm







## AD3327001WT Roof Bike Carrier

- Material: Aluminum Alloy
- Dimension: 139\*21\*18cm
- QTY of Load Bike: One Bike
- Max Load Capacity: 20kg(44LBS)



## AD3327002WT Rear Mount Bike Carrier

- Small and Light Bike Carrier Hang on the Vehicle Tail
- Carry One Bike
- Suit With Various Vehicle
- Attached Fixed Strap Prevent Shaking
- Soft Pad Protect the Contact Point Between Carrier and Vehicle
- Made of High Strength Aluminum
- Fast Release Rotation Axis



## AD3327003WT Rear Mount Bike Carrier

- Small and Light Bike Carrier Hang on the Vehicle Tail
- Carry Two Bike
- Suit With Various Vehicle
- Attached Fixed Strap Prevent Shaking
- Soft Pad Protect the Contact Point Between Carrier and Vehicle
- Made of High Strength Aluminum
- Fast Release Rotation Axis



# Bike Carrier




**AD2124801WT Steel Trunk  
Bike Carrier**

- Max 3 Bikes
- Net Weight: 4 KGS



**AD2124802WT Steel Trunk  
Bike Carrier**

- Max 3 Bikes
- Net Weight: 4.25 KGS



**AD2124803WT Steel Trunk  
Bike Carrier**

- Max 2 Bikes
- Net Weight: 3.50 KGS



**AD2124804WT Steel Trunk  
Bike Carrier**

- Max 3 Bikes
- Net Weight: 3.20 KGS



**AD2108401WT Steel Trunk  
Bike Carrier**

- Max 3 Bikes
- Net Weight: 5.80 KGS



**AD2120021WT Trunk Carrier for  
1 PC Child Car**

- Max Loading 30 KGS
- Net Weight: 9.25 KGS



**AD2120014WT Steel Trunk Bike  
Carrier**

- Max 3 Bikes
- Net Weight: 3 KGS



**AD2120012WT Steel Trunk Bike  
Carrier**

- Max 3 Bikes
- Net Weight: 3.50 KGS




**AD2120013WT Steel Trunk Bike  
Carrier**

- Max 3 Bikes
- Net Weight: 5 KGS





# Bike Accessories




## AD7102401WT Bike Lift

- Material: A3 Steel, Polyene Rope
- Surface Treatment: Painting
- Capacity: 1 Bike
- Loading Weight :20kgs
- Packaging: 1 PC/Color Box, 10 PCS/Outer Carton
- CTN Dimension: 53x27x27.5cm
- CTN GW/NW: 19KGS/18KGS

## XS2121702WT Steel Bike Repair Stand

- Max loading: 30kgs
- Adjustable height: 110-190mm
- Clamp rotation 360 degrees
- Clamp could hold pipes of 25-45mm
- Adjustable handle bar rod stabilizes the front wheel
- Foldable 5 legs for easy storage
- Pre-drilled holes in feet for anchoring to surfaces
- Different Color Available



## XS2121603WT Steel Bike Repair Stand

- Foldable Legs
- Steel Frame with Tool plate
- Loading Capacity: Max 35Kgs
- Packaging: 1 PC/CTN
- CTN Dimension: 93x10x17cm
- CTN GW/NW: 6.8KGS/5.8KGS



## AD2108404WT Steel Bike Adapter

- Carry Bikes with Sloping Top Tubes or Children Bikes on Bike Carrier
- Telescopic Length: 23.25" to 32"
- No Tools Needed for Mounting and Dismounting
- Tube Length Quick Fixation
- Product Net Weight: 0.82 KGS
- Surface Treatment: Powder Painting

## AD2108403WT Bike Frame Adapter

- Carry Bikes with Sloping Top Tubes or Children's Bikes on Bike Carriers
- The Telescopic Bar Allows Fitting to Multiple Dike Sizes, Adjusts from 14.5" to 23" Inside Spacing
- Vinyl-coated Hangers, Powder-coating Steel Tube
- No Tools Needed, Max 1 Minute Installation
- Packaging: 1 PC/Color Box, 10 PCS/CTN



# Bike Accessories



bicycle trailer

cycling with your baby

free  
switching



children's trailer

take your baby for a walk  
in the park in your spare time

## AX2131401WT Bike Trailer for Baby

1. 2 in 1 free switching
2. Comes with flag and reflectors on four sides for additional safety
3. Front and rear windows provide UV protection and offer great visibility
4. Large storage compartment behind the back
5. Material :600D Fabric
6. 3 Wheels

## AX2131402WT Bike Trailer for Pet

1. Large size pet trailer
2. Big room inside
3. Has four reflectors
4. With transparent rain cover.
5. Material: 600D Fabric
6. 2 Wheels



simple and fast storage

tire removable skeleton shrinkable  
storage space convenient storage



## AX2131403WT Bike Trailer for Luggage


1. Foldable drawbar
2. Ball coupling design for quick attachment to the bike
3. Removable cargo compartment
4. With Colored reflectors for high visibility
5. Including a removable, weather resistant cover
6. Material: 600D Fabric
7. 2 Wheels
8. Max loading 60kg







# Motorcycle Carrier



**NEW**

- Steel loading ramp that mounts on carrier



• Steel Motorcycle Carrier



• Add wheel chock




• Add holder



• Add brake light



• Add two side brackets



**STABLE AND SAFE**

Front tire slot style to ensure that the front of the vehicle does not oscillate during running.



**STRONG AND SECURE**

Two reinforces plates to protect vehicles better



**UNMATCHED 3 PIN LOCKS DESIGN**

Adjust the hitch receiver connection position



**SAFE AND RELIABLE**

All fixing nuts adopt all lock-nuts instead of ordinary nuts.

## AE2131401WTWT Motorcycle Carrier

- Loading Capacity: 500lbs (227kgs)
- Motor Cycle Platform Size: 77"x6,7" (196x17cm)
- Ramp Size: 39,4"x6,8" (100x17.5cm)
- Product Net Weight: 62,6lbs (28kgs)

## AE2131402WTWT Motorcycle Carrier

- Loading Capacity: 500lbs (227kgs)
- Motor Cycle Platform Size: 77"x6,7" (196x17cm)
- Ramp Size: 39,4"x7,1" (100x18cm)
- Product Net Weight: 50bs (22.5kgs)



# Motorcycle Stand



HEAD LIFT  
CAPACITY: 550 LBS  
QTY/CARTON: 1 PCS  
N.W./G.W.: 7.5/8.5 KGS  
HEIGHT: 67-88 CM  
2 PACKAGE SIZE: 51x44x44 CM

**GR2131402WT**

**NEW**



MOTORCYCLE STAND  
CAPACITY: 550 LBS  
QTY/CARTON: 1 PCS  
N.W./G.W.: 9.5 / 10 KGS  
PACKAGE SIZE: 66x60x9.5 CM



ALUMINUM MOTORCYCLE PARKING STAND  
MATERIAL: ALUMINUM  
CAPACITY: 300LBS  
N.W./G.W.: 3.0/3.5KGS  
PACKAGE SIZE: 60 X 29 X 12 CM



**GR2131403WT**



MOTORCYCLE STAND  
CAPACITY: 750 LBS  
QTY/CARTON: 1 PCS  
N.W./G.W.: 5.3/5.5 KGS  
PACKAGE SIZE: 54x48x8 CM

**GR2131405WT**

**GR2131404WT**



MOTORCYCLE FRONT & REAR PADDOCK STAND  
CAPACITY 750 LBS  
QTY/CARTON: 1 PCS  
N.W./G.W.: 5 / 5.5 KGS  
PACKAGE SIZE: 54x48x8 CM

**GR2131406WT**



MOTORCYCLE PADDOCK STAND SINGLE SWING ARM  
CAPACITY: 750LBS  
QTY/CARTON: 1 PCS  
N.W./G.W.: 5.5 / 6.5 KGS  
PACKAGE SIZE: 78x44x16 CM

**GR2131407WT**





# Motorcycle Choke

**NEW**



**GR2131408WT**



MOTORCYCLE WHEEL CHOCK

MATERIAL:STEEL

FINISH:BLACK POWDER COATED

CAPACITY:1800 LBS

N.W./G.W.:16.0/17.0KGS

PRODUCT SIZE:92 X 89 X 41 CM

MEAS:93 X 29 X 16 CM

**GR2131409WT**



MOTORCYCLE WHEEL CHOCK

MATERIAL:STEEL

FINISH:POWDER COATED

N.W./G.W.:5.7/6.2 KG

PRODUCT SIZE:52.9 X 16 X 34 CM

MEAS:54.5 X 18 X 16 CM

**GR2131410WT**



MOTORCYCLE CHOCK

SUITABLE: D10-19" W7-13 CM

QTY/CARTON: 1 PCS

NW./G.W.: 10.5/ 11.5 KGS

PACKAGE SIZE: 65x54x16 CM



## AB2120005WT Economic Steel SUV Roof Bar for Raised Rail

- Length: 120 cm/135cm
- Max Load Capacity: 90 KGS
- CE Certificate



## AB2120004WT Economic Aluminum SUV Roof Bar for Raised Rail

- Length: 126 cm/135cm
- Max Load Capacity: 90 KGS
- CE Certificate



## AB2120001WT AI SUV Roof Bar


- Length: 120 cm or 135 cm (Aluminum Pipe Length without Pipe Plugs)
- Max Load Capacity: 75 KGS
- 2 Anti-theft Locks with 2 Keys and 1 Hex Key
- CE Certificate: ISO Standard 11154: 2006
- Packaging: 1 PR/Color Sleeve with 2 Pipe Plugs' Carton Protection, 4 PRS/Outer Carton

## AB2120002WT AI SUV Roof Bar


- Al Tube Length: 112cm/127cm/147cm
- 2 PCS PVC Anti-noise Strip
- 1 Page A4 Handbook
- M6 L Hex Key
- 2 Anti-theft Locks with 2 Keys
- Packaging: 1 PC/Color Sleeve, 4 PCS/CTN

## AB2120003WT AL SUV Whisper Roof Bar

- Aluminum Bar Length 126cm with width 78mm
- Length 130 cm including the Plastic Pipe Plug
- Max Loading 75 KGS
- Material: Al, PA6+30%Fiber Glass
- Single Packaging
- Dimension: 1280\*140\*95mm
- Product Net Weight: 3.8KGS
- Packaging: 1 Set/Inner Carton, 4 Sets/Outer Carton








## AB2120006WT Aluminum Roof Bar

- Length: 120cm or 135cm
- Lock with 2 Keys
- 1 PC L-Shape Hex Key
- Max Capacity: 90KGS
- TUV GS Approved

	MIN	MAX
x	25mm	55mm
y	78mm	
z	108mm	



## AB2120007WT Aluminum Roof Bar

- Length: 120cm or 135cm
- Lock with 2 Keys
- 1 PC L-Shape Hex Key
- Max Capacity: 90KGS
- TUV GS Approved

	MIN	MAX
x	25 mm	55 mm
y	78 mm	
z	106 mm	





## AB3327001WT Roof Bar for Raised Rail

- Material: Aluminum Alloy
- Size: 135cm
- Color: Silver
- Anti-theft lock: Yes
- Adjustable Length: 4cm
- Bars Width: 8cm
- Max Load Capacity: 75kg
- Certificate: CE



## AB3327002WT Roof Bar for Flush Rail

- Material: Aluminum Alloy
- Size: 135cm
- Color: Silver
- Anti-theft lock: Yes
- Adjustable Length: 4cm
- Bars Width: 8cm
- Max Load Capacity: 75kg
- Certificate: CE



## AB2118601WT Self-Inflatable Roof Bar

- Dimension: 100\*14cm
- Including 1pc Packaging Bag and 2pcs Self-inflatable Roof Bar with Foam
- Packaging: 1 Set/Color Box, 4 Sets/Outer Carton
- CTN Dimension: 45x45x50cm



## AB2131802WT Soft Roof Bar


- Material: 600D Oxford Textile, 2 Straps with Metal Buckles
- Product Dimension: 113x10x8cm
- Inner Box Dimension: 92x23x12cm
- Outer Carton Dimension: 94x58x26cm
- Packing: 1PC/Inner Box, 5 PCS/Outer Carton
- Max Load: 75 kgs







# Roof Bar Accessories



## AT3327001WT Roof Wind Deflector

- Size: 970\*150\*4mm
- Color: Black
- Material: PC
- Brackets: Three



## AT3327002WT Roof Wind Deflector

- Size: 1100\*150\*4mm
- Color: Black
- Material: PC
- Brackets: Four



## AU2131901WT

4 PCS Steel Fixation Kit of Roof Bar  
(Height 12cm)



## AU2131902WT

4 PCS Steel Fixation Kit of Roof Bar  
(Height 12cm)



# Roof Basket



## AC3400205WT AI Roof Basket

- Size: 130x80cm

## AC3400215WT AI Roof Basket

- Size: 160x100cm

## AC3400225WT AI Roof Basket

- Size: 182x130cm



## AC3400206WT AI Roof Basket

- Water-Proof Cover
- Dimension: 160x116cm
- Universal Fixation Kit used with all kinds of roof bar



## AC2120001WT AI Roof Basket

- Material: Aluminum
- Dimension: 140x100cm
- Max Loading Capacity: 75kg
- Anti-sliding Surface
- 1 PC/Inner Carton (125x23x15cm), 2 PCS/CTN (127x32x25cm)
- 2 Locks with 2 Keys
- 4 PCS Tightening Hook
- 1 PC Logo Water-proof Sticker in Front

## AC3400207WT Steel Roof Basket

- Material: Steel Q235A
- Dimension: Product 1199mmx1000mmx109mm, Upper Steel Tube Diameter 19mm, Lower Steel Tube Diameter 25mm, Small Steel Tube with Angle 8mm Diameter, Small Steel Tube without Angle 12mm Diameter, Lattice 80x70mm
- Universal Fixation Kit used with all kinds of roof bar
- Surface Treatment: E-plating + Powder Coating
- It can be dispatched from the middle part



## AC2115701WT Steel Roof Basket

- Material: Q195, ABS
- Product Dimension: 127.5x103.5x20.5cm
- Max Load: 100KGS







**AC2130401WT Steel Roof Basket**

- Max loading weight up to 250 lb
- Dimensions: 1200x980x150mm



**AC2130402WT Steel Roof Basket**

- Dimensions: 1200x980x150mm



**AC2130403WT Steel Roof Basket**

- Dimensions: 1600x980x150mm



**AC2130404WT Steel Roof Basket**

- 1 In. steel tube frame with steel mesh bottom construction
- Dimension: 1170x940x100mm



**AC2130405WT Steel Roof Basket**

- 1 In. steel tube frame with steel mesh bottom construction
- Dimension: 1600x1200x150mm



**AC2130406WT Steel Roof Basket**

- 1 In. steel tube frame with steel mesh bottom construction
- Dimension: 2100x550x120mm



**AC2131801WT Steel Roof Basket**

- Crv Steel, Powder Painting
- Product Dimension: 1200x1000x150mm
- Max Load: 100Kgs
- Standard Parts: 304 Stainless Steel



**AC2131802WT Steel Roof Basket**

- Crv Steel, Powder Painting
- Product Dimension: 1400x1000x150mm
- Max Load: 100Kgs
- Standard Parts: 304 Stainless Steel



**AC2131901WT Steel Roof Basket**

- Product Dimension: 1400x103cm



## ***Ski Carrier***




### **AH2120003WT Ski Carrier**

- Hitch Model
- Max Capacity: Option 1 3 PRS Skis and 2 PCS Ski Boards ; Option 2 6 PRS Skis; Option 3 4 PCS Ski Boards





# Ski Carrier and Ladder Clamp



## AH2120001WT AI Ski Carrier

- Max 4 PRS of Skis or 6 PRS of Skis
- Product Net Weight: 2.50 KGS
- 2 Locks with 2 Keys/Set
- 1 Page A4 Handbook
- Fitting on Rectangular Bar and AI Bar with Slot
- Packaging: 1 PC/Color Sleeve, 4 PCS/CTN

## AH2120002WT AI Extender Ski Carrier

- Capacity: 4 PRS of Skis, or 5 PRS of Carving Skis, or 4 Snowboards, or 8 PRS of Cross-country Skis
- Fixation Kit for Aluminum Bar with Slot
- Tool Provided for Installation
- 2 Locks with 2 Keys/Set
- Big Button for Winter Glove Using
- Packaging: 1 Set/Color Box, 4 Sets/CTN
- CTN: 81x31x28cm, 17KGS/15KGS



**NEW**



## AH2134901WT AI Ski Carrier

- Product Length: 70cm
- Rubber length: 47cm
- Capacity: Max 3 Snowboards
- With Lock



## AQ2124001WT Roof Ladder Clamps

- 2 PCS/Set
- 2 Locks with 3 keys each
- Surface Treatment: Zinc Plating
- Packaging: 1 Set/Box, 10 Sets/Outer Carton
- Box: 44x9x9cm, GW/NW 2.2 KGS/2.1 KGS
- CTN: 46x47x20cm, GW/NW:22KGS/21KGS



## AH2134902WT AI Ski Carrier

- Product Length: 39cm
- Capacity: Max 2 PCS Snow Board
- U-bolt Fitting for Square Roof Bar ( Bar max size:3.5x3cm )

## AH2134903WT AI Ski Carrier

- Product Length: 47cm
- Capacity: Max 3 PCS Snow Board
- U-bolt Fitting for Square Roof Bar ( Bar max size:3.5x3cm )



# Kayak Holder



## AO2108401WT Kayak Holder

- Universal kayak holder to suit most roof bars
- Durable Large thick rubber pads add protection for your craft
- Ultra lightweight and constructed using quality components
- Quick and easy installation with all instructions included
- 2 ratchet tie down for tightening your craft
- Material: PA66(Nylon) and Rubber
- Stainless steel fixation without tool needed
- Product Net Weight: 2.58KGS



## AO2108402WT Kayak Holder

- Material : Steel, TPE, Foam
- 2 PCS Holder/Set
- 2 PCS Tie Straps for Kayak
- Packaging: 1Set/CTN
- CTN Dimension: 65x54.5x35cm
- CTN GW/NW: 18.8KGS/15.2KGS
- Color Available: Black, Grey







# Motorcycle Carrier and Cargo Carrier



## AE2131401WT Steel Motorcycle Carrier

- Capacity: 500lbs(227kgs)
- Receiver Size: 2in.(5cm)
- Ramp size: 100\*17\*5cm
- Platform size: 196\*17\*5cm



## AE2131402WT Steel Motorcycle Carrier

- Capacity: 500lbs(226.8kgs)
- Receiver Size: 2in.(5cm)
- Ramp size: 96\*17\*5cm
- Platform size: 196\*19\*5cm



## AE2131403WT Steel Motorcycle Carrier

- Capacity: 500lbs(226.8kgs)
- Receiver Size: 2in.(5cm)
- Ramp size: 96\*17\*5cm
- Platform size: 196\*19\*5cm



## AE2131404WT Steel Motorcycle Carrier

- Capacity: 500lbs(226.8kgs)
- Receiver Size: 2in.(5cm)
- Ramp size: 96\*17\*5cm
- Platform size: 196\*19\*5cm



## AS2131401WT Foldable Steel Cargo Carrier

- Size: 153\*48.2\*7.8cm
- Loading capacity: 500lbs



## AS2131402WT Foldable Steel Cargo Carrier

- Size: 153\*51\*22cm
- Loading capacity: 500lbs



## AS2131403WT Foldable Steel Cargo Carrier

- Size: 153\*53\*21cm
- Loading capacity: 500lbs



## AS2131404WT Foldable Steel Cargo Carrier

- Size: 22\*51\*18cm
- Loading capacity: 500lbs




## AS2131405WT Foldable Steel Cargo Carrier

- Size: 153\*53\*21cm
- Loading capacity: 500lbs



# Car Dog Guard



## AI2100303WT Car Dog Guard

- Ensure your dogs are safely contained in the back of your vehicle
- Easy for assembling and disassembling
- Width: 85cm-150cm
- Height: 85cm-128cm
- Rod Material: Iron
- Rod Thickness: 0.6mm
- Rod Diameter: 13/16/19mm
- Surface treatment: painting and zinc coated

## AI2100304WT Car Dog Guard

- Ensure your dogs are safely contained in the back of your vehicle
- Easy for assembling and disassembling
- Width: 85cm-150cm
- Height: 60cm-110cm
- Rod Material: Iron
- Rod Thickness: 0.6mm
- Rod Diameter: 13/16/19mm
- Surface treatment: painting and zinc coated



## AI2100305WT Car Dog Guard

- Ensure your dogs are safely contained in the back of your vehicle
- Easy for assembling and disassembling
- Width: 85cm-150cm
- Height: 60cm-110cm
- Rod Material: Iron
- Rod Thickness: 0.6mm
- Rod Diameter: 13/16/19mm
- Surface treatment: painting and zinc coated

## AI2100306WT Car Dog Guard

- Angled design fits behind seats with reclined backs
- Ensure your dogs are safely contained in the back of your vehicle
- Easy for assembling and disassembling
- Width: 85cm-150cm
- Height: 60cm-110cm
- Rod Material: Iron
- Rod Thickness: 0.6mm
- Rod Diameter: 13/16/19mm
- Surface treatment: painting and zinc coated



## AI2100307WT Car Dog Guard

- Headrest mounting Model
- Ensure your dogs are safely contained in the back of your vehicle
- Easy for assembling and disassembling
- Width: 73cm-140cm
- Height: 25cm-40cm
- Rod Material: Iron
- Rod Thickness: 0.6mm
- Rod Diameter: 13/16/19mm
- Surface treatment: painting and zinc coated





### AG2100401WT Roof Box

- Capacity : 320 L
- Product Dimensions: 133x85x37cm
- 1 PC/Carton, Carton Dimension: 133.5x85.5x37.5cm
- NW/GW: 10kg/14.5kg
- Dermatoglyphics treatment or Painting

### AG2100402WT Roof Box

- Capacity : 450 L
- Product Dimensions: 185x43x81cm
- 1 PC/Carton, Carton Dimension: 185.5x81.5x43.5cm
- NW/GW: 15kg/20kg
- Dermatoglyphics treatment or Painting



### AG2100403WT Roof Box

- Capacity : 360 L
- Product Dimensions: 139x90x39cm
- 1 PC/Carton, Carton Dimension: 139.5x90.5x39.5cm
- NW/GW: 11kg/14.5kg
- Dermatoglyphics treatment or Painting

### AG2100404WT Roof Box

- Capacity : 450 L
- Product Dimensions: 173.5x81x41.5cm
- 1 PC/Carton, Carton Dimension: 174x81.5x42cm
- NW/GW: 13.5kg/19kg
- Dermatoglyphics treatment or Painting



### AG2100405WT Roof Box

- Capacity : 444 L
- Product Dimensions: 230x69x36cm
- 1 PC/Carton, Carton Dimension: 230.5x69.5x36.5cm
- NW/GW: 21.7kg/15.5kg
- Dermatoglyphics treatment or Painting



# Roof Bag



## AA3300101WT Spextra Roof Bag ( Printing Model or Black Model )

- Be able to connect with roof bar directly
- Solid support at the bottom of the roof box
- 320 L capacity and max load 50kg
- 8 U screws with head protection for double security
- 100% water-proof for polyester textile and 10# zipper
- Special Anti-UV & Anti-freezing textile treatment
- 600Dx600D Polyester with fresh PVC thick covering inside
- Display box option for promotion sales in the supermarket
- Security straps on the fixation plate for luggage stability
- Side Support: Good shape even the roof box is not totally full







## **AA2131501WT 350L Heavy Duty Waterproof Car Top Bag**

- Product: size: 120\*96\*30cm
- Material: PVC Covering 500D\*500D Polyester
- Overall Color: Black
- Heavy-Duty Waterproof Storage Bag is perfect for hitch mounted cargo carriers, also good for truck beds, trunks and garages.
- Keeps storage dry and protected
- Folds flat for easy storage
- Waterproof zipper

## **AA2131502WT 400L Heavy Duty Waterproof Car Top Bag**

- Product: size: 45.7\*122\*45.7cm
- Material: PVC Covering 500D\*500D Polyester
- Overall Color: Black
- Heavy-Duty Waterproof Storage Bag is perfect for hitch mounted cargo carriers, also good for truck beds, trunks and garages.
- Keeps storage dry and protected
- Folds flat for easy storage
- Waterproof zipper



## **AA2131503WT 500L Waterproof Cargo Bag**

- Product size: 150\*110\*30cm
- Material: PVC Covering 500D\*500D Polyester
- Denity: 18\*17
- Fabric thickness 0.5MM
- Overall Color: Black/grey
- Heavy-Duty Waterproof Storage Bag is perfect for hitch mounted cargo carriers, also good for truck beds, trunks and garages.
- Keeps storage dry and protected
- Folds flat for easy storage
- Waterproof zipper



# Roof Bag and Roof Tent



## AA3300102WT ECO Roof Bag

- 380L Water-proof Car Roof Bag
- 600Dx600D polyester with PVC covering
- Rain proof zipper flap
- Full seam tape
- EVA Protection Bottom



## AP2122601WT RECO Cargo Bag

- Bag Size: 47"x18.5"x21.5"
- Material: PVC Tarpaulin 500Dx500D
- 10# Zipper with water-proof cover
- Water-proof Sealing
- 6 PCS Binding Straps with width 1"
- Color: Black



## AL3306401WT Triangle Car Roof Tent

- Product Size: Close 210X130X30cm, Open 210X130X100cm
- Box Material: polyester / fibre glass
- Tent Material Durable polyester PU coated, water proof and fire resistant
- All tent models have 2 doors (one each side) and 2 windows (one each end), each opening is equipped with zip fasteners and mosquito mesh screens
- Mattress: poplin, 50% cotton and high density, 6cm thickness high quality cushion
- Mini light and different pockets for Travelers
- Alloy ladder supplied as standard, fitted with spring locking device

## AL3306402WT Car Roof Tent

- Product Size: Close 213x127x30cm, Open 213X127X100cm
- Box Material: polyester / fibre glass
- Tent Material Durable polyester PU coated, water proof and fire resistant
- All tent models have 2 doors (one each side) and 2 windows (one each end), each opening is equipped with zip fasteners and mosquito mesh screens
- Mattress: poplin, 50% cotton and high density, 6cm thickness high quality cushion
- Mini Light and different pockets for Travelers
- Alloy ladder supplied as standard, fitted with spring locking device







## FD2110401WT 12 PCS Ratchet Tie Down Kit (GS Approval)

- 1 PC Tie Down with Ratchet and Hook 2.5cm X 5m, Rated Assembly Strength 250daN
- 1 PC Tie Down with Ratchet 2.5cm X 5m, Rated Assembly Strength 250daN
- 2 PCS Tie Down with buckle 2.5cm x 5m, Rated Assembly Strength 100daN
- 2 PCS Red Bungee Cord 8mm x 40cm, Rated Load 100N
- 2 PCS Yellow Bungee Cord 8mm x 60cm, Rated Load 100N
- 2 PCS Blue Bungee Cord 8mm x 80cm, Rated Load 100N
- 2 PCS Green Bungee Cord 8mm x 100cm, Rated Load 100N

## FD2110402WT 8 PCS Ratchet Tie Down Kit (GS Approval)

- 4 PCS Ratcheting Tension Belts with Hooks(2 hooks each): Dimension 25mmx5m, Lashing Capacity 250daN
- 4 PCS Tension Belts with Clamping Lock: Dimension 25mmx2.5m, Lashing Capacity 125daN



## FD2110403WT 8 PCS Ratchet Tie Down and Bungee Cords Kit(GS Approval)

- 2 PCS Ratcheting Tension Belts with Hooks(2 hooks each): Dimension 25mmx3.45m, Lashing Capacity 250daN
- 2 PCS Tension Belts with Clamping Lock: Dimension 25mmx2.50m, Lashing Capacity 125daN
- 2 PCS Bungee Cords: 8mmx65cm
- 2 PCS Bungee Cords: 8mmx45cm




## AJ1216201/2/3/4/5/6/7WT Non-flexible Cargo Net:

- Dimension: 150x220cm / 150x270cm / 200x300cm / 200x350cm / 250x350cm / 25x400cm / 250x450cm
- Material: PP
- Double Needle Model
- Thread Diameter: 3mm
- Net Window Dimension: 4.5x4.5cm
- Packaging: 1 PC/PVC Pouch with Color Paper


## AJ2100803WT Non-flexible Cargo Net:

- Flexible Model
- Dimension: 1.5x2.7M ~ 2.4x3.86M
- Diameter of Rope: 4mm
- Material: PP and Rubber
- Hook Quantity: 18 PCS



## AJ2100804WT Non-flexible Cargo Net:

- Flexible Model
- Dimension: 1.25X2.1M ~ 2x3M
- Diameter of Rope: 4mm
- Material: PP and Rubber
- Hook Quantity: 14PCS






# Accessories



**FC5232001WT**  
1 Ton Towing Rope



**FC5232002WT**  
3 Tons Towing Rope



**FA5232001WT**  
Ratchet Tie Down Set ( 2 PCS  
1\*3m )



**FA5232002WT**  
Ratchet Tie Down  
Set ( 2 PCS 1\*2m )



**FB5232001WT**  
Bungee Cord  
( 8mm\*18" )



**FB5232002WT**  
Bungee Cord  
( 8mm\*60cm )



**FB5232003WT**  
Bungee Cord  
( 8mm\*60cm )



**FB5232004WTT**  
Bungee Cord  
( 8mm\*18" )





## AD2130701WT Tow Ball Cover

- Material: PVC
- Fit 1-7/8" ( 50mm ) Hitch Ball
- Color: Black


## AD2130702WT Tow Ball Cover

- Material: ABS
- Fit 1-7/8" ( 50mm ) Hitch Ball
- Surface Treatment: Chrome



## AD2130703WT Tow Ball Cover

- Material: ABS
- Fit 1-7/8" ( 50mm ) Hitch Ball
- Color: Black



## AR2130701WT RV Vent Cover

- Made of high density polyethylene with max UV protection
- Accessories: 1pc filter screen, stainless steel fasteners, 4pcs aluminum brackets
- Fit for 14"x14" RV air vent

## XT2127801WT Aerator for Van and Caravan

- Material: ABS
- Product Net Weight: 0.86KG
- Top Diameter: 216mm
- Bottom Diameter: 235mm
- Color: White or Black
- Packaging: 1 Set/Inner Box, 8 sets/CTN
- CTN Dimension: 50x50x36cm
- CTN GW/NW: 9.30KGS/8.10KGS

